MARKSCHEME

November 1999

BIOLOGY

Standard Level

Paper 2

[2]

SECTION A

1. (Award [1 mark] for the following; up to [2 marks] max) (a) T_b is higher than T_a; T_b remains (nearly) constant whereas T_a falls; [2] (b) (Award [1 mark] for the following; up to [2 marks] max) shivering / chemical reactions in the body / metabolism / respiration / releases heat; heat taken in from the surroundings / environment; [2] (Award [1 mark] for the following; up to [1 mark] max) (c) darkness because high body temperature needed for activity; darkness because activity generates heat by respiration; [1 max] (d) (i) (Award [1 mark] for the following; up to [2 marks] max) higher heart rate at higher body temperature; exponential increase / (more than) doubles for each 10 °C rise; [2] (ii) (Award [1 mark] for the following; up to [1 mark] max) enzymes involved in heart (muscle) contraction work faster at higher temperature; higher metabolic rate at higher temperatures so heart must supply more materials; [1 max] (Award [1 mark] for the following; up to [1 mark] max) (e) reduce energy use; [1] (f) (Award [1 mark] for the following; up to [1 mark] max) low external temperatures; [1 max] food shortage; 2. (a) (i) (Award [1 mark] for the following; up to [1 mark] max) ingestion of disease causing organisms; [1 max] presents antigen to B-lymphocytes; (Award [1 mark] for the following; up to [2 marks] max) in the blood; in the tissues / at sites of infection / in a named tissue; [2] (b) (Award [1 mark] for the following; up to [2 marks] max)

each is specific to / recognises one antigen;

many different antigens exist;

3. (a) (Award [1 mark] for the following; up to [1 mark] max) radical / variable part / part specific to each amino acid;

[1]

(b) (Award [1 mark] for the following; up to [2 marks] max) peptide linkage shown correctly; remainder of the molecule shown correctly

[1] [1]

e.g.

$$\begin{array}{c|c} H & O & R \\ H & C & C \\ \hline C & N & C \\ \hline R & H & C \\ \end{array}$$

(c) (Award [1 mark] for the following; up to [2 marks] max) ribosomes in both;

free ribosomes in prokaryotes but ribosomes (often) on the RER in eukaryotes; larger ribosomes in eukaryotes than in prokaryotes / 80S versus 70S; (do not award marks if genuine comparisons are not made)

[2 max]

SECTION B

Remember, up to TWO 'quality of construction' marks for the essay

4. (a) (Award [1 mark] for the following; up to [3 marks] max) catalyst; biological / made by living organisms / protein;

[3]

(b) (Award [1 mark] for the following; up to [7 marks] max)

enzymes show substrate specificity;

enzyme has an active site;

globular protein;

active site has a distinctive shape;

active site has distinctive chemical properties / example of chemical properties;

substrate's shape fits the active site / vice versa;

substrate's chemical properties fit the active site / vice versa;

substrate binds to the active site / enzyme-substrate complex formed;

other substances do not fit and cannot bind;

active site is the lock and substrate is the key;

product does not fit the active site so dissociates;

diagram showing substrate fitting active site;

substrate no longer fits if the enzyme is denatured;

(penalise once if enzyme rather than active site described)

[7]

(c) (Award [1 mark] for the following; up to [8 marks] max)

Use the following mark scheme for each of the two examples:

name of use;

source of the enzyme(s);

chemical reaction catalysed by the enzyme;

advantage of using the enzyme;

[8]

For example:

yoghurt making;

Lactobacillus makes the enzymes;

lactose in milk converted to lactic acid;

acidity prevents other microbes from growing in the yoghurt so preserving it;

[Quality: 2 marks max]

Remember, up to TWO 'quality of construction' marks for the essay

5. (a) (Award [1 mark] for the following; up to [3 marks] max) length of chromosome; structure of the chromosome / position of the centromere; banding; chromosomes must be stained to appear banded;

[3]

(b) (Award [1 mark] for the following; up to [8 marks] max)
reduction of number of chromosomes happens in meiosis I;
cell / nucleus is diploid at start of meiosis;
two of each chromosome type present;
chromosomes condense / shorten and thicken;
chromosomes form pairs;
paired chromosomes are homologous;
one chromosome in each pair becomes attached to each pole;
paired chromosomes are pulled to opposite poles;
nuclear membranes reform / cell divides;
cells / nuclei formed are haploid;
DNA replicated once but cell divides twice;

[8]

(c) (Award [1 mark] for the following; up to [7 marks] max)

Down's Syndrome is causes by having an extra chromosome 21;
both (homologous) chromosomes go to the same pole (in division 1);
called non-disjunction;
frequency increases with mother's / father's / parent's age;
or both chromosomes / chromatids go to the same pole in division 2;
both chromosomes attached to the same pole by fibres / microtubules;
gamete / egg produced with extra chromosome 21;
or sperm produced with extra chromosome 21;
fusion with a gamete with one chromosome 21;
zygote produced with three instead of two chromosome 21;
trisomy;
mitosis so every body cell has three of chromosome 21;
(Penalise once only if wrong chromosome number stated.)

[7]

[Quality: 2 marks max]

Remember, up to TWO 'quality of construction' marks for the essay

6. (a) (Award [1 mark] for the following; up to [5 marks] max) carbon dioxide;

from fossil fuel burning;

CFCs;

from solvent use / propellants / aerosols;

nitrogen oxides;

from fossil fuel burning / vehicle exhausts / fertilisers;

methane;

from ruminants / paddy fields / biomass burning / waste dumps;

(do not award a mark for a source if the name of the gas has not been given)

(b) (Award [1 mark] for the following; up to [6 marks] max)

reduced burning of fossil fuels;

increased use of other energy sources / example of alternative source of energy;

reduced use of energy;

example of how energy use could be reduced;

reduced burning of forests;

planting of forests / crops to absorb carbon dioxide;

eating meat from non-ruminants / vegetarianism;

[6]

[7]

[5]

(c) (Award [1 mark] for the following; up to [7 marks] max)

graph showing effect of carbon dioxide as limiting factor;

more photosynthesis with higher carbon dioxide levels;

increased temperatures therefore faster photosynthesis;

but increased temperature therefore faster transpiration;

stomata have to close so (possibly) less carbon dioxide absorbed;

no effect from carbon dioxide / temperature if light intensity is limiting;

overall effect on plants is hard to predict;

more growth of plants (probably);

more food for first consumers;

more growth of first consumers;

and so on for second and third and other consumers;

length of food chain might increase;

number of species at each trophic level might increase;

flooding might destroy food webs in low lying areas;

(Award a maximum of 5 marks) if no reference is made to alternative hypotheses

or uncertainties about the effects)

[Quality: 2 marks max]