



88127012



International Baccalaureate®
Baccalauréat International
Bachillerato Internacional

**COMPUTER SCIENCE
HIGHER LEVEL
PAPER 2**

Friday 9 November 2012 (morning)

2 hours 15 minutes

INSTRUCTIONS TO CANDIDATES

- Do not open this examination paper until instructed to do so.
- Answer all the questions.
- A clean copy of the **Computer Science** case study is required for this paper.
- The maximum mark for this examination paper is [100 marks].

Answer *all* the questions.

1. A geologist uses a computer program to keep track of the various rock samples that she has collected. The program has a `Sample` class and creates a new `Sample` object for each rock sample.

```
public class Sample
{
    int sampleNumber;
    String rockType;
    String placeCollected;
    double sampleWeight;//Weight of sample in kilograms

    Sample nextSample;
    ...
}
```

To allow the geologist to rapidly identify a sample of a particular rock type, the program uses a simple hash table to store all the sample objects. The hash function is a method named `rockHash()` that produces a key value in the range 0 to 127 based on the sample's `rockType`.

```
public int rockHash(String rockType)
{
    ...
}
```

The key value can then be used as an index to retrieve a `Sample` object from `allSamples`, an array of 128 `Sample` objects.

- (a) Define the term *collision*. [1 mark]
- (b) Explain why `sampleWeight` has type **double**. [2 marks]

To deal with collisions, objects in the `Sample` class have been designed to allow them to be arranged into linked lists.

- (c) Identify the element of the `Sample` class that allows `Sample` objects to be made into a linked list. [1 mark]

(This question continues on the following page)

(Question 1 continued)


Each element of the `allSamples` array can be treated as the head of a linked list of `Sample` objects having the same key value. The elements of the array are initialized to `null`.

- (d) Construct the method, `insertSample(Sample rockSample)` that uses the `rockHash()` method and then adds the sample at the beginning of the appropriate linked list in `allSamples`. *[6 marks]*

- (e) Construct the method, `findBigSample(String rockType)` that returns the sample number of the heaviest sample having the specified rock type. *[7 marks]*

- (f) Outline how all the samples collected from a particular place could be output. *[3 marks]*

2. Within a tree, a leaf node is one that has no child nodes.



- (a) State the number of leaf nodes in the tree shown above. [1 mark]

- (b) State the word contained in the right child of the node containing the word “honourable”. [1 mark]

- (c) Identify the left subtree and the right subtree of the node “honourable”. [3 marks]

- (d) State the words in the order that they would be retrieved using *pre-order* traversal. [1 mark]

- (e) State the type of tree traversal that would retrieve the words in alphabetical order. [1 mark]

(This question continues on the following page)

(Question 2 continued)

All of the words from a large dictionary are stored in a binary tree. The tree is constructed from objects of the `WordNode` class.

```
public class WordNode
{
    String word;
    WordNode leftChild;
    WordNode rightChild;

    WordNode(String theWord)
    {
        word = theWord;
        leftChild = null;
        rightChild = null;
    }

    int countLeaves()
    {
        // lines of code missing
    }
}
```

The method `countLeaves(WordNode w)` returns the number of leaf nodes in the subtree, for example, in the diagram above, if node `w` has no child nodes `countLeaves(w)` will return 1.

- (f) State the condition to test if `WordNode w` is a leaf node. *[1 mark]*

- (g) Construct the method `countLeaves()` using recursion. *[6 marks]*

- (h) Identify **two** disadvantages of using recursion to implement `countLeaves()`. *[2 marks]*

- (i) Outline **two** ways that the tree could be modified to allow access to the definition of the word. *[4 marks]*

3. The inventory of spare parts on a large ship is stored on the ship’s computer as a single sequential master file. Each type of part has a unique ID number.

Type of Part	Quantity	Re-order Level	Maximum Quantity
322	23	10	30
411	4	8	20

- (a) Identify the key field in the record. *[1 mark]*

Each record contains the quantity of spares onboard the ship for that type of part. Inventory changes are recorded by different members of the ships personnel, each of whom has a small, handheld device. Once a day the changes, which are stored in transaction files, are downloaded to the ship’s computer and used to update the master file.

- (b) State the type of processing used to update the master file. *[1 mark]*

- (c) State how the records in the master file should be ordered. *[1 mark]*

- (d) Describe the process by which the master file can be updated when the changes recorded in the handheld devices are downloaded. *[4 marks]*

A wireless network is installed so that the handheld devices can communicate continuously with the ship’s computer.

- (e) Explain how handshaking is involved in this process. *[3 marks]*

- (f) Identify **two** data items that need to be sent each time parts are taken from the inventory. *[2 marks]*

- (g) Explain how the introduction of the wireless network, together with a reorganization of the master file, can keep the inventory current rather than only being updated once per day. *[4 marks]*

When the ship reaches port a list of all the parts that need restocking is generated. Parts need to be restocked if the Quantity is less than the Re-order Level. A sufficient number of parts should be purchased to bring the Quantity up to the Maximum Quantity.

- (h) Outline the processing that would take place to produce the list of parts to be purchased, including the quantities to purchase. *[4 marks]*

4. *This question requires the use of the case study.*

- (a) State **two** differences between Wi-Fi and WiMAX. *[2 marks]*
- (b) State **two** differences between Wi-Fi and Bluetooth. *[2 marks]*
- (c) Explain **two** reasons why a mobile phone designer might choose to provide a keyboard instead of a touch screen. *[4 marks]*
- (d) Explain **two** ways in which using a mobile phone to link an ambulance to a hospital could compromise the privacy of a patient. *[4 marks]*
- (e) Outline **two** ways in which data interception can occur when using a mobile device. *[4 marks]*
- (f) Outline **two** advantages of not restricting the development of apps to the manufacturers of mobile devices. *[3 marks]*
- (g) Describe how social engineering is used to persuade mobile device users to reveal personal information. *[4 marks]*

Many employers are providing their employees with mobile devices so that they can be connected to their work 24/7.

- (h) Discuss the effects of this on the employee. *[6 marks]*

All 4G networks use IP packet-switching for all services.

- (i) Describe the purpose and structure of a data packet. *[3 marks]*
 - (j) Compare the transfer of data in a 4G cellular network to that of a wired Internet connection. *[4 marks]*
 - (k) Explain how the demands of the mobile phone user create challenges that the designers of smartphone operating systems must resolve. *[4 marks]*
-