

DESIGN TECHNOLOGY STANDARD LEVEL PAPER 3

Friday 11 May 2007 (morning)

1 hour

(Candi	idate	sessi	ion n	umbe	r	
0							

INSTRUCTIONS TO CANDIDATES

- Write your session number in the boxes above.
- Do not open this examination paper until instructed to do so.
- Answer all of the questions from two of the Options in the spaces provided. You may continue your answers on answer sheets. Write your session number on each answer sheet, and attach them to this examination paper and your cover sheet using the tag provided.

0

 At the end of the examination, indicate the letters of the Options answered in the candidate box on your cover sheet and indicate the number of answer sheets used in the appropriate box on your cover sheet.

Option A — Raw material to final product

A1. Skateboarding is a popular leisure activity and competitive sport. Skateboard decks (see **Figures A1 and A2**) are often made from layers of Maple (a Canadian hardwood). The wheels are made from nylon and are fixed to the trucks which in turn are fixed to the deck. The wheels need to be firm for some sporting environments and softer for others.

Figure A1: View of one side of a skateboard




Figure A2: A skateboarder in competition



(a)	of the deck of a skateboard, such as in Figure A1.	n [2]
	(This question continues on the following	

(This question continues on the following page)



	(b)	Explain why a laminated construction rather than solid wood is used to produce the deck of the skateboard in Figure A1 and A2.	[3]
A2.	Desc	cribe why nylon can be used for both firm and soft skateboard wheel requirements.	[2]
A3.		ine one reason why stainless steel would be a more appropriate material than mild steel for manufacture of the skateboard trucks in Figure A1.	[2]

14.	Discuss two advantages of adding scrap glass to the manufacturing process of glass.	[6]



Blank page

[2]

Option B — Microstructures and macrostructures

B1. The creation and manufacture of quality jewellery requires a good understanding of the structures of materials. **Figure B1** shows a diamond, held in place by four clips and a thermoset adhesive, in a 14 carat gold ring. Gold is a soft material and so it is alloyed to produce the material for the ring.



Describe the structure of a diamond crystal such as in Figure B1.

Figure B1: A diamond ring

	(b)	Explain why diamond is a very hard material.	[3]
B2.	Desc	ribe why a thermoset adhesive would be appropriate to fix the diamond to the ring.	[2]



(a)

В3.	Outline one physical property of gold which is affected by alloying, and makes it more appropriate for use in a ring.	[2]
B4.	Discuss two composite materials in terms of their evolution over time.	[6]

Option C — Appropriate technologies

C1. Figure C1 shows a designer using his pedal powered mechanical drill. It is a standard drill which has been linked to the driving wheel on an exercise bike. It was designed so people who exercise could use their energy for a purpose.



Figure C1: Pedal operated drill

[Source: CCAT Pedal-powered Mechanical Drill press; www.humboldt.edu/~ccat/pedalpower/inventions/frames_final_htm..htm]

(a)	Describe why the pedal-powered drill in Figure C1 is an alternative technology.	[2]
(b)	Discuss one context in which the pedal-powered drill in Figure C1 would be an appropriate technology.	[3]



C 2.	Describe why pedal power is a form of renewable energy.	[2]
C3.	Outline one way a manufacturer could use energy in a way which is consistent with sustainable development.	[2]
C 4.	Discuss two barriers to recycling paper.	[6]



Option D — Food technology

D1. Figure D1 shows a range of bread and pastry products. Bread is a staple food widely used around the world, produced domestically and commercially. Sourdough is a type of bread that involves a long fermentation process.

Table D1: **Nutrition Facts for Sourdough** Bread

Nutrition I	Facts for Sourdo	ough Bread
(48 g serve)	Amount	% daily intake
Fat	0 g	0
Cholesterol	0 mg	0
Sodium	170 mg	7
Carbohydrate	23 g	8
Fiber	1 g	4
Sugars	1 g	
Protein	1 g	
Vitamin A		0
Calcium		0
Iron		6

Figure D1: A range of bread and pastry products



[Source: www.scottosbakery.com/]

(a)	List the primary and secondary processes involved in making bread.	[2]
(b)	Outline one organoleptic property of bread.	[2]



lable	D1.
	in one other piece of information that could be included on a food label for bread, from nutritional information.
	in what is meant by a balanced diet, and list three ways in which bread can contribute to alance.
	alance.
hat b	alance.

Option E — Computer-aided design, manufacture and production

E1. The computer controlled machine in **Figure E1** is used to cut thermoplastic coated textiles for external window shades. Cutting is done by up to five ultrasound cutters.

Figure E1: CNC cutting machine





Figure E2: External window shade

[Source: www.jentschmann.ch/ PAC2000-E.htm]

[3]
[2]

Describe how CAD and CNC systems work together to produce the CAD/CAM system



E3.	Describe how a CNC machine could contribute to a JIT approach to manufacturing.	[2]
E4.	Discuss two changes for consumers as a result of mass customization.	[6]

Option F — Invention, innovation and design

F1. Figure F1 shows a digital camera docked into a picture printer. The pictures can be viewed on the camera and then deleted, saved or printed by docking the camera onto the top of the printer. The printer will produce prints by inkjet rather than using chemicals. Prints can be generated from memory cards or wirelessly from a mobile phone, and the camera battery can be charged when it is docked.



Figure F1: Digital camera and printer

(a)	List two possible aspects of the camera-printer in Figure F1 which make it attractive for market diffusion.	[2]
(b)	Explain one reason why the camera-printer in Figure F1 would have been unlikely to have been invented by a lone inventor.	[3]




F2.	Outline one benefit of being a pioneer in relation to the manufacture of the camera-printer in Figure F1.	[2]
F3.	Describe one way in which the printing process of the innovative camera-printer in Figure F1 helps safeguard the environment.	[2]
F4.	Discuss one technological and one social development that was important in the development of the bicycle.	[6]
F4.		[6]
F4.		[6]
F4.	of the bicycle.	[6]
F4.	of the bicycle.	[6]
F4.	of the bicycle.	[6]
F4.	of the bicycle.	[6]
F4.	of the bicycle.	[6]
F4.	of the bicycle.	[6]
F4.	of the bicycle.	[6]
F4.	of the bicycle.	[6]
F4.	of the bicycle.	[6]
F4.	of the bicycle.	[6]
F4.	of the bicycle.	[6]
F4.	of the bicycle.	[6]



Option G — Health by design

G1. Small holes in the heart (Figure G1) can be treated using a small umbrella like device called a CardioSEAL® (Figure G2). The device is folded into a thin tube, inserted in a vein, and moved into the hole in the heart. The device is then pushed out of the tube, allowing the small umbrella to open and cover each side of the hole. The tube is then removed. The fabric in the device is Dacron® and the metal alloy is nitanol (nickel and titanium alloy).







Figure G2: The sequence of the device being pushed out of the tube



(a)	Define biocompatibility.	[1]
(b)	State one material commonly used for implants in the human body.	[1]

(This question continues on the following page)



	(c)	Explain how the material used in the CardioSEAL® would have been tested for use as an implant.	[3]
G2.		cribe how spectacle wearers have benefited from the development of high active index glass.	[2]
G3.	Ide	entify one way user-centred design plays a role in the development of wheelchairs.	[2]


G4.	Explain one effect of exhaust gases from motor vehicles on people and one effect on the environment.	[6]



Option H — Electronic products

H1. Figure H1 shows an electrical circuit for a domestic product.

Figure H1



(a)	State the regulated power supplied to the circuit in Figure H1.	[1]
(b)	Describe the function of the sub system associated with the IC2-555.	[2]

Н2.	The LM3914 is an integrated circuit that senses analogue voltage levels. Explain how the circuit in Figure H1 functions.	[3]
112		527
Н3.	Annotate the diagram in Figure H2 to indicate the base, emitter, and the collector. Figure H2	[3]
Н4.	Discuss two impacts on society of the miniaturisation of electronic products.	[6]

