



88147209



**MATHEMATICS
HIGHER LEVEL
PAPER 3 – SETS, RELATIONS AND GROUPS**

Thursday 13 November 2014 (afternoon)

1 hour

INSTRUCTIONS TO CANDIDATES

- Do not open this examination paper until instructed to do so.
- Answer all the questions.
- Unless otherwise stated in the question, all numerical answers should be given exactly or correct to three significant figures.
- A graphic display calculator is required for this paper.
- A clean copy of the **Mathematics HL and Further Mathematics HL formula booklet** is required for this paper.
- The maximum mark for this examination paper is [60 marks].

Please start each question on a new page. Full marks are not necessarily awarded for a correct answer with no working. Answers must be supported by working and/or explanations. In particular, solutions found from a graphic display calculator should be supported by suitable working. For example, if graphs are used to find a solution, you should sketch these as part of your answer. Where an answer is incorrect, some marks may be given for a correct method, provided this is shown by written working. You are therefore advised to show all working.

1. [Maximum mark: 12]

A group with the binary operation of multiplication modulo 15 is shown in the following Cayley table.

\times_{15}	1	2	4	7	8	11	13	14
1	1	2	4	7	8	11	13	14
2	2	4	8	14	1	7	11	13
4	4	8	1	13	2	14	7	11
7	7	14	13	4	11	2	1	8
8	8	1	2	11	4	13	14	7
11	11	7	14	2	13	<i>a</i>	<i>b</i>	<i>c</i>
13	13	11	7	1	14	<i>d</i>	<i>e</i>	<i>f</i>
14	14	13	11	8	7	<i>g</i>	<i>h</i>	<i>i</i>

- (a) Find the values represented by each of the letters in the table. [3]
- (b) Find the order of each of the elements of the group. [3]
- (c) Write down the three sets that form subgroups of order 2. [2]
- (d) Find the three sets that form subgroups of order 4. [4]

2. [Maximum mark: 8]

Define $f: \mathbb{R} \setminus \{0.5\} \rightarrow \mathbb{R}$ by $f(x) = \frac{4x+1}{2x-1}$.

(a) Prove that f is an injection. [4]

(b) Prove that f is not a surjection. [4]

3. [Maximum mark: 11]

Consider the set A consisting of all the permutations of the integers 1, 2, 3, 4, 5.

(a) Two members of A are given by $p = (1\ 2\ 5)$ and $q = (1\ 3)(2\ 5)$.
Find the single permutation which is equivalent to $q \circ p$. [4]

(b) State a permutation belonging to A of order

(i) 4;

(ii) 6. [3]

(c) Let $P = \{\text{all permutations in } A \text{ where exactly two integers change position}\}$,
and $Q = \{\text{all permutations in } A \text{ where the integer 1 changes position}\}$.

(i) List all the elements in $P \cap Q$.

(ii) Find $n(P \cap Q)$. [4]

4. [Maximum mark: 10]

The group $\{G, *\}$ has identity e_G and the group $\{H, \circ\}$ has identity e_H . A homomorphism f is such that $f : G \rightarrow H$. It is given that $f(e_G) = e_H$.

(a) Prove that for all $a \in G$, $f(a^{-1}) = (f(a))^{-1}$. [4]

Let $\{H, \circ\}$ be the cyclic group of order seven, and let p be a generator.
Let $x \in G$ such that $f(x) = p^2$.

(b) Find $f(x^{-1})$. [2]

(c) Given that $f(x * y) = p$, find $f(y)$. [4]

5. [Maximum mark: 19]

(a) State Lagrange's theorem. [2]

$\{G, *\}$ is a group with identity element e . Let $a, b \in G$.

(b) Verify that the inverse of $a * b^{-1}$ is equal to $b * a^{-1}$. [3]

Let $\{H, *\}$ be a subgroup of $\{G, *\}$. Let R be a relation defined on G by

$$aRb \Leftrightarrow a * b^{-1} \in H.$$

(c) Prove that R is an equivalence relation, indicating clearly whenever you are using one of the four properties required of a group. [8]

(d) Show that $aRb \Leftrightarrow a \in Hb$, where Hb is the right coset of H containing b . [3]

It is given that the number of elements in any right coset of H is equal to the order of H .

(e) Explain how this fact together with parts (c) and (d) prove Lagrange's theorem. [3]